ILLEGIB
Declassified in Part - Sanitized Copy Approved for Release @ 50-Yr 2014/05/21 :
CIA-RDP76B00952R000600090009-9



It should be noted that obligation of funds available in your office in connection with this contract will be subject to the usual budgetary controls. Representatives of our Comptroller have therefore contacted your representatives to clarify any problems involved. In the event the above provisions are acceptable, the contract may be executed by the Public Buildings Service and Morrison-Johnson, Inc. without further formal referral to this Agency.

incerely.

clûlis<sub>ê</sub>

le Telling Sirector

## 1 . nclosure

## Distribution:

0 & 1 - Addressee

2 - DD/S

1 - OGC

√ 1 - Comptroller

1 - OL files

2 - BPS

STAT

OL/BP3 :mec (24 September 1957)

COPY

COPY

COPY

COPY

COPY

September 20, 1957

Harrison and Abremovitz 630 Fifth Avenue New York, N. Y.

C. I. A. Contract for Clearing & Grubbing

Attn: Mr. George 6. Johnston

## Gentlemen:

Mr. Johnston of your office has asked for our interpretation of Paragraph 3, Section IV - "Clearing and Grubbing" of the specifications for the Clearing and Grubbing Contract.

It was our intention that the contractor would be required to stake out on the ground the limits of grading which are indicated on the General Site Plan, Drawing 2-1, by heavy dash lines connecting points where the original and the proposed contours join. These lines also indicate the limits of clearing and grubbing or of clearing only as labeled.

The stake out, in our ppinion, may be accomplished by either of the following methods:

- 1 Stake out pertinent sections of roads, walks, parking areas and buildings from the Alignment Plan, Drawing 2-2, then stake the limit of grading or clearing line by scaled dimensions from the edges of roads, walks, etc.
  - 2 Rum a random closed traverce through the area in the coordinate system indicated on the contract drawings. This traverse line should run reasonably close to the limits of grading. Some interior cross lines will be required. The limits of grading or clearing line may them be staked by scaled dimensions from the established traverse lines. The traverse line will also be useful to the contractor in staking other limits of his work.

ILLEGIB
Declassified in Part - Sanitized Copy Approved for Release @ 50-Yr 2014/05/21 :
CIA-RDP76B00952R000600090009-9

